

<b>Multifunction Compensator Systems CE Approved</b>		<b>FTP</b>
<b>Eclipse MC Systems: Single tank wing, backplate with Secure Harness and Storage Pak, ss single tank adapter</b>		
10.111.030	30 lbs Eclipse MC System w/ stainless steel backplate	5300
10.121.030	30 lbs Eclipse MC System w/ aluminum backplate	5300
10.111.040	40 lbs Eclipse MC System w/ stainless steel backplate	5300
10.121.040	40 lbs Eclipse MC System w/ aluminum backplate	5300
<b>Explorer MC Systems: Double tank wing, backplate with Secure Harness and Storage Pak</b>		
10.210.040	40 lbs Explorer MC System with stainless steel backplate	4600
10.220.040	40 lbs Explorer MC System with aluminum backplate	4600
10.210.055	55 lbs Explorer MC System with stainless steel backplate	4600
10.220.055	55 lbs Explorer MC System with aluminum backplate	4600
<b>Evolve MC Systems: Double tank wing, backplate with Secure Harness and Storage Pak</b>		
10.310.040	40 lbs Evolve MC System with stainless steel backplate	4800
10.320.040	40 lbs Evolve MC System with aluminum backplate	4800
10.310.060	60 lbs Evolve MC System with stainless steel backplate	4800
10.320.060	60 lbs Evolve MC System with aluminum backplate	4800
<b>MC Weighting Systems</b>		<b>FTP</b>
12.100.012	6 kg Active Control Ballast System, 3 kg per side	1000
12.100.020	9 kg Active Control Ballast System, 4.5 kg per side	1200
12.320.005	Trim Weight Pockets, pair, 2.5 kg each	400
<b>Buoyancy Control Devices</b>		<b>FTP</b>
10.101.030	30 lbs Eclipse wing, CE Approved	3200
10.101.040	40 lbs Eclipse wing, CE Approved	3200
10.200.040	40 lbs Explorer wing, CE Approved	3000
10.200.055	55 lbs Explorer wing, CE Approved	3000
10.400.035	35 lbs Explorer CCR-35 wing	3000
10.300.040	40 lbs Evolve wing, CE Approved	3200
10.300.060	60 lbs Evolve wing, CE Approved	3200
<b>Secure Harness Systems</b>		<b>FTP</b>
10.010.100	Stainless steel backplate and harness	1800
10.020.100	Aluminum hardcoated backplate and harness	1600
10.040.000	MC Storage Pak for Diver's Life Raft, Surf Shuttle or Lift Bag	600
10.011.000	Single tank adapter, stainless steel	950
10.051.010	Single tank strap replacement w/ stainless Super Cam buckle	400
10.030.001	Right hand zippered pocket (attaches to harness strap)	800
10.060.007	Titanium mini-knife and "H" sheath	450
<b>Alternate Lift &amp; Surface Marking Devices</b>		<b>FTP</b>
14.010.185	85 kg Lift Bag, closed circuit	1100
14.010.080	36 kg Lift Bag, closed circuit	900
14.012.060	27 kg Lift Bag, semi-closed circuit	800
14.020.300	Diver's Life Raft, 1.8m long, inflatable floor, 135 kg lift	2000
14.050.010	Zipper Pocket for Diver's Life Raft	350
14.020.030	Surf Shuttle	1100
14.030.050	Super Big Diver's Alert Marker, 1.8 m long, closed circuit	800
14.030.040	Big Diver's Alert Marker, 1.4 m long, closed circuit	850
14.040.001	Diver's Alert Marker, 1.4 m long, open bottom orange	550
14.030.006	Diver's Alert Marker, 1 m long, closed circuit	600
14.030.004	Diver's Alert Marker, 1 m long, oral inflate only	550
14.032.030	Diver's Alert Marker, 1.2m long, semi-closed circuit	650
Coming soon		
14.030.007	Diver's Alert Marker, 1 m long, closed circuit yellow	620
14.040.002	Diver's Alert Marker, 1.4 m long, open bottom yellow	560
14.040.012	Divers Alert Marker, 2-pack, 1.4 m long, open bottom orange + yellow	1100

# HALCYON HONG KONG RETAIL PRICE 06

rev (09/06)

Explorer & Proteus Lighting Systems		FTP
20.314.018	Explorer 13.5,18watt HID, NiMH (6 hr. burn time)	14000
20.309.018	Explorer 9,18watt HID, NiMH (4 hr. burn time)	12500
20.309.010	Explorer 9,10watt focusable HID, NiMH (8 hr. burn time)	9500
20.305.018	Explorer 4.5,18watt HID, NiMH (2 hr. burn time)	11000
20.205.010	Explorer 4.5,10watt focusable HID, NiMH (4 hr. burn time)	8000
20.305.610	Explorer 4.5,10watt HID 6 degree fixed beam lighthouse, NiMH (4 hr. burn time)	7300
20.106.018	Proteus 6,18watt focusable HID, sealed lead acid (2 hr. burn time)	9200
20.106.010	Proteus 6,10watt focusable HID, sealed lead acid (5 hr. burn time)	6050
20.103.010	Proteus 3,10watt focusable HID, sealed lead acid (2 hr. burn time)	5800
20.103.610	Proteus 3,10watt HID, sealed lead acid, 6 degree fixed beam (2 hr. burn time)	5000
20.105.000	Factory upgrade 18W lighthouse to Halcyon Ultra-Bright Reflector	600
20.211.011	Factory upgrade any primary light to E/O cords	1600
20.105.004	LED Scout back-up light, 3 "C" cells	1600
20.105.005	Scout back-up light, 3 "C" cells, xenon bulb	750
20.105.003	LED Mini-Scout back-up light, 2 "C" cells	1520
20.105.002	Mini-Scout back-up light, 2 "C" cells, xenon bulb	680
20.105.001	Upgrade any Scout back-up light to LED	1050
Apollo Video Systems		FTP
21.400.218	Apollo 13.5 w/ dual 18watt HID heads and E/O cords, NiMH battery pack (150 min. burn time)	21000
21.400.050	Apollo 13.5 w/ single 50watt HID head, E/O cord, NiMH battery pack (100 min. burn time)	20000
21.400.100	Apollo 13.5 w/dual 50watt HID heads and E/O cords, NiMH battery pack (60 min. burn time)	31000
21.010.200	Apollo 200watt HMI, w/ E/O cord, NiMH battery pack (45 min. burn time)	45000
Field Repair Kits: includes all o-rings, bulb, lamp cover, switch and boot		FTP
24.314.018	Explorer 13.5/18watt HID field repair kit (fits Apollo 13.5, 18W video light)	2000
24.309.018	Explorer 9/18watt HID field repair kit	2000
24.309.010	Explorer 9/10watt HID field repair kit	1400
24.305.010	Explorer 4.5/10watt HID field repair kit	1400
24.305.610	Explorer 4.5/10watt HID, 6 degree fixed beam lighthouse field repair kit	1400
24.214.018	Helios 13.5/18watt HID field repair kit	2000
24.209.018	Helios 9/18watt HID field repair kit (also fits Apollo 9, 24W video light)	2000
24.209.010	Helios 9/10watt HID field repair kit	1400
24.205.010	Helios 4.5/10watt HID field repair kit	1400
24.205.610	Helios 4.5/10watt HID, 6 degree fixed beam lighthouse field repair kit	1400
24.106.018	Proteus 6/18watt HID field repair kit	2000
24.106.010	Proteus 6/10watt HID field repair kit	1400
24.103.010	Proteus 3/10watt HID field repair kit	1400
24.103.610	Proteus 3/10watt HID, fixed beam lighthouse field repair kit	1400
24.010.200	Apollo HMI field repair kit	4400
25.113.100	Apollo 13.5/50watt HID field repair kit (new)	6200
24.013.100	Apollo 13.5/50watt HID field repair kit (old)	6200
24.009.050	Apollo 9/50watt HID field repair kit (old)	6200
24.009.048	Apollo 9/24watt HID field repair kit (old)	2000

# HALCYON HONG KONG RETAIL PRICE 06

rev (09/06)

Defender & Pathfinder Guideline Devices		FTP
30.010.400	Pathfinder 400 primary reel, #24 line, SS double end clip	1250
30.010.800	Pathfinder 800 exploration reel, #24 line, SS double end clip	1400
30.010.120	Pathfinder 1200 exploration reel, #24 line, SS double end clip	1800
30.020.075	Defender 75 jump/gap spool, #24 line, SS double end clip	380
30.020.100	Defender 100 safety spool, #24 line, SS double end clip	380
30.020.150	Defender 150 safety spool, #24 line, SS double end clip	380
30.021.100	Coldwater Defender 100 safety spool, #24 line, SS double end clip	450
30.030.000	Line Arrows, white w/ blue H logo, each	12
30.030.024	# 24 braided nylon line, 1 lb spool	200
30.030.036	# 36 braided nylon line, 1 lb spool	200
Dry Suit Accessories		FTP
40.010.014	Mounting straps for 14cf dry suit inflation bottle	550
40.010.006	Mounting straps for 6cf dry suit inflation bottle	550
40.010.003	Over Pressure Valve (OPV) for dry suit inflation regulator	270
40.020.001	Small Gaiters (1 pair) 12" (30 cm) calf	800
40.020.002	Medium Gaiters (1 pair) 14" (35 cm) calf	800
40.020.003	Large Gaiters (1 pair) 16" (40.5 cm) calf	800
40.030.011	Bellowed pocket, Velcro closure, internal divider, utility loops	600
40.030.015	Bellowed large exploration pocket, Velcro & Zipper closures	700
40.030.020	Flat pocket, Velcro closure	500
40.040.003	Streamline Balanced P-valve	1300
40.041.028	Medium 28 mm condom for p-valve	40
Diver's Notebook		FTP
41.000.001	Diver's Notebook w/ tables window, pockets, pencil holders	400
41.100.000	Underwater paper refill for Diver's Notebook	140
Masks		FTP
42.040.000	Single lens mask, with black frame and black skirt	520
42.040.001	Low-profile dual lens mask, with black frame and black skirt	520
42.050.000	Halcyon Slap Strap™, 6.5mm neoprene w/ velcro attachment	140
Gear Bags		FTP
44.010.000	Gear Bag, Textilene / Cordura	550
Regulator Hoses, and Hose Kits		FTP
60.010.084	210 cm LP primary regulator hose	400
60.012.084	210 cm LP primary regulator hose (1/2" fitting)	400
60.010.040	100 cm LP stage bottle regulator hose	300
60.010.024	60 cm LP backup regulator hose	250
60.012.024	60 cm LP backup regulator hoses (1/2" fitting)	250
60.010.022	55 cm LP backup regulator hose	250
60.020.030	75 cm LP inflator hose	250
60.020.024	60 cm LP inflator hose	250
60.020.022	55 cm LP inflator hose	250
60.030.024	60 cm high pressure SPG hose	400
60.030.006	15 cm stage bottle high pressure SPG hose	320

<b>Guages</b>		<b>FTP</b>
61.030.002	Submersible pressure gauge, 0-300 bar	950
<b>Stage Kits</b>		<b>FTP</b>
62.100.080	Stage Rigging Kit for 80 cf cylinder: choice of tank marking decal	450
62.100.040	Stage Rigging Kit for 40 cf cylinder: choice of tank marking decal	450
62.100.007	Stage Rigging Kit for 7L cylinder: choice of tank marking decal	450
<b>Attachment Hardware &amp; Spring Heels</b>		<b>FTP</b>
62.010.100	2.5 cm Bolt Snap, stainless steel for Stage Strap, Scooter Leash, Lift bag	85
62.010.020	1 cm Bolt Snap, stainless steel, for long hose	70
62.020.375	9 cm Double Ender, stainless steel	100
62.020.400	10 cm Double Ender, stainless steel	100
62.300.008	Halcyon Spring Heels for Jetfin-style fins, medium, 8" (20 cm) spring	550
62.300.010	Halcyon Spring Heels for Jetfin-style fins, large, 10" (25 cm) spring	550
62.300.012	Halcyon Spring Heels for Jetfin-style fins, X-Large, 12" (30 cm) spring	550
<b>Tank Valves</b>		<b>FTP</b>
64.100.300	300 bar isolator manifold, 3/4" thread	2300
64.100.200	200 bar isolator manifold, 3/4" thread	2300
64.110.300	300 bar isolator manifold, M25 (metric) thread CE Approved	2300
64.110.200	200 bar isolator manifold, M25 (metric) thread CE Approved	2300
64.010.300	300 bar single tank valve, 3/4" thread	600
64.010.200	200 bar single tank valve, 3/4" thread	600
64.011.300	300 bar single tank valve, M25 (metric) thread CE Approved	600
64.011.200	200 bar single tank valve, M25 (metric) thread CE Approved	600
64.111.200	Yoke insert for 200 bar valve and manifold	80
64.200.725	Doubles tank bands, 7.25" (184mm)	1000
64.200.800	Doubles tank bands, 8.00" (203mm)	1000
<b>GUE VIP &amp; Tank Marking Decals</b>		<b>FTP</b>
66.010.100	GUE VIP + Nitrox VIP decals, Price per 100 VIP decals are for authorised dealer use only, no retail sales	n/a
66.020.000	GUE Gas Analysis tape, roll	250
66.000.000	ARGON: DO NOT BREATHE warning decal	45
66.001.006	GUE MOD decal, each: Oxygen 6	50
66.001.021	GUE MOD decal, each: 21, 30, 36, 45, 57, 60, 72, 75 or 90	50
<b>Halcyon RB80 Rebreather: The world-record standard in semi-closed circuit reb:</b>		<b>FTP</b>
Please contact your Halcyon sales representative for information and pricing for the Halcyon RB80		
All RB80 orders are subject to a deposit in the amount of HK\$30000 and require a 3-4 week lead time. GUE RB80 training and prerequisites apply.		
<b>Halcyon Logowear</b>		<b>FTP</b>
88.010.000	Ball cap, black w/ Halcyon logo	200
88.020.001	Halcyon logo T-Shirt (black), small	200
88.020.002	Halcyon logo T-Shirt (black), medium	200
88.020.003	Halcyon logo T-Shirt (black), large	200
88.020.004	Halcyon logo T-Shirt (black), XL	200
88.020.005	Halcyon logo T-Shirt (black), XXL	200

Full spares support available from your dealer